



## 海軍大氣海洋局航船布告

中華民國112年12月4日

### 207 臺中港 — 燈標資訊更新

- 依據 1.交通部航港局中部航務中心112年11月9日中技字第1123255668A號函。  
2.臺灣港務股份有限公司臺中港務分公司燈標資訊。
- 說明 更新臺中港燈標資訊。
- 海圖 60701 - 0357 - 04509
- 刊物 中華民國燈表(109年第12版, 刊物第五種), 如附件。

海軍大氣海洋局局長  
海軍上校 林倉玉

### NOTICE to MARINERS

Published by Naval Meteorological & Oceanographic Office, R.O.C.

Dec-4-2023

### 207 Taichung Port – Beacon Information Updated

- Source 1. Central Taiwan Maritime Affairs Center, Maritime and Port Bureau, MOTC, letter No. 1123255668A dated November 9, 2023.  
2. Information of light from Port of Taichung, Taiwan International Ports Corporation Ltd.
- Details The details of the beacon, located in the Taichung port, have been updated.
- Chart affected 60701 - 0357 - 04509
- Publication affected Pub. No.5 List of Lights (Edition 12<sup>th</sup>, 2020), See attachment.


*CAPT. Tsang Yu, Lin*  
*Director, NMOO*

中華民國燈表 (List of Lights)


編號 No.	燈名 Name	位置 Position 北緯(Lat. N) 東經(Long. E) (WGS84)	燈質及光力 (燭光) Characteristics & Candle Power (candelas)	高度 高潮面起 (公尺) Elevation above HW (meter)	見距 (浬) Range (mile)	構造及高度 (公尺) Structure & Height (meter)	附註 Remarks, for signals, sectors
21160	臺中港 北防波堤 燈塔	24°17'58.9" 120°29'11.4"	綠閃光 4 秒 Fl.G.4s 明 0.8 秒;暗 3.2 秒	21.9	17.5	綠色 圓塔(水泥) 18.5	交通部航港局管理 雷達標杆 M
21170	臺中港 南防波堤 燈塔	24°17'24.6" 120°30'02.2"	紅閃光 2 秒 Fl.R.2s 明 0.1 秒;暗 1.9 秒 700	21.0	14.0	紅色 圓塔(水泥) 19.9	交通部航港局管理 雷達標杆: F
21140	臺中港 主航道 扇形指向燈 前導標	24°16'57.2" 120°31'25.2"	白紅綠色扇形定光 Dir.FWRG.	45.0	17.0	紅白相間橫紋 四角架(金屬) 頂標:黃色△ 45.0	臺灣港務公司管理 Dir: 114.25° 前、後相距約 791 公尺 明弧:紅光:103°-112° 白光:112°-116.5° 綠光:116.5°-121°
21150	臺中港 主航道 後導標	24°16'46.6" 120°31'51.0"	白定光 F. 1200	70.0	9.6	紅白相間橫紋 四角架(金屬) 頂標:黃色▽ 70.0	
21590	臺中港 南北航道 前疊標(1)	24°14'12.9" 120°29'48.7"	綠定光 F.G.	40.0	9.0	橘紅色 四角塔(金屬) 頂標:綠色△ 42.6	臺灣港務公司管理 Dir: 201.53° 前、後相距約 864 公尺
21600	臺中港 南北航道 後疊標(1)	24°13'47.6" 120°29'37.6"	綠定光 F.G.	56.7	9.6	橘紅色 圓柱(金屬) 頂標:無 45.5	
21610	臺中港 南北航道 前疊標(2)	24°14'08.6" 120°28'58.9"	綠定光 F.G.	57.6	19.8	橘紅色 四角塔(金屬) 頂標:綠色△ 55.5	臺灣港務公司管理 Dir: 231.5° 前、後相距約 170 公尺
21620	臺中港 南北航道 後疊標(2)	24°14'05.1" 120°28'54.2"	綠定光 F.G.	67.6	19.8	橘紅色 四角塔(金屬) 頂標:紅色▽ 65.5	
21630	臺中港 南北航道 前疊標(3)	24°15'05.1" 120°29'36.8"	綠定光 F.G.	13.0	9.0	橘紅色 四角塔(金屬) 頂標:綠色△ 15.6	臺灣港務公司管理 Dir: 21.5° 前、後相距約 116 公尺
21640	臺中港 南北航道 後疊標(3)	24°15'08.6" 120°29'38.3"	綠定光 F.G.	23.9	9.0	橘紅色 四角塔(金屬) 頂標:紅色▽ 25.6	
21650	臺中港 南北航道 前疊標(4)	24°15'31.0" 120°30'50.6"	綠定光 F.G.	57.6	19.8	橘紅色 四角塔(金屬) 頂標:綠色△ 55.5	臺灣港務公司管理 Dir: 51.5° 前、後相距約 240 公尺
21660	臺中港 南北航道 後疊標(4)	24°15'35.3" 120°30'56.3"	綠定光 F.G.	67.6	19.8	橘紅色 四角塔(金屬) 頂標:紅色▽ 65.5	
21670	臺中港 南北航道 前疊標(5)	24°17'21.6" 120°31'08.6"	綠定光 F.G.	23.0	9.0	橘紅色 四角塔(金屬) 頂標:綠色△ 25.6	臺灣港務公司管理 Dir: 21.53° 前、後相距約 770 公尺
21680	臺中港 南北航道 後疊標(5)	24°17'44.9" 120°31'18.6"	綠定光 F.G.	45.6	19.8	橘紅色 四角塔(金屬) 頂標:紅色▽ 43.5	

編號 No.	燈名 Name	位置 Position 北緯(Lat. N) 東經(Long. E) (WGS84)	燈質及光力 (燭光) Characteristics & Candle Power (candelas)	高度 高潮面起 (公尺) Elevation above HW (meter)	見距 (浬) Range (mile)	構造及高度 (公尺) Structure & Height (meter)	附註 Remarks, for signals, sectors
21360	臺中港 南北航道左舷 燈杆(1)	24°15'31.5" 120°30'27.5"	綠群閃光(3)6秒 Fl(3).G.6s 明 0.5 秒;暗 0.5 秒 明 0.5 秒;暗 0.5 秒 明 0.5 秒;暗 3.5 秒	12.0	9.6	綠色 圓柱(金屬) 12.0	臺灣港務公司管理
21380	臺中港 南北航道左舷 燈杆(3)	24°15'18.0" 120°30'21.7"	綠群閃光(5)7秒 Fl(5).G.7s	12.0	9.6	綠色 圓柱(金屬) 12.0	臺灣港務公司管理
21400	臺中港 南北航道左舷 燈杆(5)	24°14'45.3" 120°30'07.3"	綠群閃光(5)7秒 Fl(5).G.7s	12.0	9.6	綠色 圓柱(金屬) 12.0	臺灣港務公司管理
21470	臺中港 南北航道左舷 燈杆(13)	24°14'10.7" 120°29'21.6"	綠群閃光(3)6秒 Fl(3).G.6s	12.0	9.6	綠色 圓柱(金屬) 12.0	臺灣港務公司管理
21420	臺中港 南北航道右舷 燈杆(8)	24°14'56.0" 120°29'31.7"	紅群閃光(3)4秒 Fl(3).R.4s	12.0	9.6	紅色 圓柱(金屬) 12.0	臺灣港務公司管理
21460	臺中港 南北航道右舷 燈杆(12)	24°14'29.1" 120°29'13.8"	紅群閃光(5)7秒 Fl(5).R.7s	12.0	9.6	紅色 圓柱(金屬) 12.0	臺灣港務公司管理
21300	臺中港 中泊渠 燈浮(CD1)	24°15'38.4" 120°31'08.5"	紅閃光 4 秒 Fl.R.4s 明 0.5 秒;暗 3.5 秒	1.2	3.0	紅色 錐形浮(金屬) <del>3.0</del>	臺灣港務公司管理
21310	臺中港 中泊渠 燈浮(CD2)	24°15'39.2" 120°31'05.8"	紅群閃光(4)6秒 Fl(4).R.6s	1.2	3.0	紅色 柱形浮(金屬) <del>3.0</del>	臺灣港務公司管理
21280	臺中港 中 1 柱 燈浮	24°16'03.2" 120°31'26.3"	綠群閃光(2)4秒 Fl(2).G.4s	12.0	9.6	綠色 圓柱(金屬) 12.0	臺灣港務公司管理

修正 (Amend) :



第 58 頁 (P.58)



第 60 頁 (P.60)